



## Technical Specification 43-13

Issue 3 2012

Aerial Bundled Conductors Insulated with  
Cross-Linked Polyethylene for Low Voltage  
Overhead Distribution

**© 2013 Energy Networks Association**

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior written consent of Energy Networks Association. Specific enquiries concerning this document should be addressed to:

**Operations Directorate  
Energy Networks Association  
6<sup>th</sup> Floor, Dean Bradley House  
52 Horseferry Rd  
London  
SW1P 2AF**

This document has been prepared for use by members of the Energy Networks Association to take account of the conditions which apply to them. Advice should be taken from an appropriately qualified engineer on the suitability of this document for any other purpose.

## CONTENTS

<b>1</b>	<b>Scope</b> .....	<b>2</b>
<b>2</b>	<b>Normative References</b> .....	<b>2</b>
<b>3</b>	<b>Conductors</b> .....	<b>2</b>
<b>4</b>	<b>Identification of cores</b> .....	<b>3</b>
<b>5</b>	<b>Laying up</b> .....	<b>3</b>
<b>6</b>	<b>Type tests</b> .....	<b>3</b>
<b>7</b>	<b>Sealing and drumming</b> .....	<b>3</b>